

Title: SENSING AN OPERATING PARAMETER OF A TARGET CONCEALED FROM A SENSOR BY

AN INTERPOSED COMPONENT Applicants: McCarrick, Merner, Frait

Page 1 of 6

## 1/6





Title: SENSING AN OPERATING PARAMETER OF A TARGET CONCEALED FROM A SENSOR BY

AN INTERPOSED COMPONENT Applicants: McCarrick, Merner, Frait

Page 2 of 6





Figure 4




Title: SENSING AN OPERATING PARAMETER OF A TARGET CONCEALED FROM A SENSOR BY

AN INTERPOSED COMPONENT

Applicants: McCarrick, Merner, Frait

Page 3 of 6






Title: SENSING AN OPERATING PARAMETER OF A TARGET CONCEALED FROM A SENSOR BY

AN INTERPOSED COMPONENT Applicants: McCarrick, Merner, Frait

Page 4 of 6

4/6




Title: SENSING AN OPERATING PARAMETER OF A TARGET CONCEALED FROM A SENSOR BY


AN INTERPOSED COMPONENT Applicants: McCarrick, Merner, Frait

Page 5 of 6

5/6

## Figure 9






Title: SENSING AN OPERATING PARAMETER OF A TARGET CONCEALED FROM A SENSOR BY

AN INTERPOSED COMPONENT Applicants: McCarrick, Merner, Frait

Page 6 of 6

6/6



## Figure 12

